Electronic Solutions

Electric mortice locks

E03 FSH FEL990 Series

Privacy plus lock system

E04 Legge Privacy Plus Lock System

Electronic locks

E05 Briton 9365 Series

E05 Briton 9365-990 Series

E05 Schlage Omnia

E06 Schlage CO 100 Series

E06 Schlage CO 200 Series

Power operators

E07 ECO Schulte ETS Series

ECOlock drop bolts

E08 FSH VE1260 Series

E08 FSH HL1260 Series

Electric strikes

Ecoline

E09 FSH FES90M-P Series

Standard

E09 FSH FES20 Series

E10 FSH FES10 Series

E10 FSH FES15 Series

E11 Von Duprin 5100 Electric Strike

E11 Von Duprin 6200 Series Electric Strikes

E11 Von Duprin Electrical Accessories

Maximum Security

E12 FSH Custodial Electric Strikes

Electromagnetic door holders

E13 FSH Electromagnetic Door Holders

E13 LCN Electromagnetic Door Holders

Mechanical electromagnetic locks

E14 FSH MEM2400 Series

Electromagnetic locks

E14 FSH FEM5700 Series

E15 FSH FEM3500 Series

E15 FSH Cabinet Locks

E15 FSH Gate Locks


Access control accessories

E16 Schlage Credentials

FSH FEL 990 Series

Note: Cylinders are not included – refer accessories. Lock includes individual monitoring of locking bar, latch, door position, request to exit and key override.

		Warranties
	Mechanical	10 years
	Finish	allegion.co.nz/finisheswarranty
	Electronic	1 year



Door type: Metal or wood
Backset: 60mm standard. 70mm,
89mm and 127mm available
Fire rated: 4 hours - refer fire door
manufacturer for approval
Door thickness: 32mm to 50mm

(extended spindle for up to 65mm thickness available)

Extended backset

Backset	Price
70mm 89mm 127mm	add 117.00 add 149.00 add 208.00

	Finish	
Description	SSS	Price
Monitored 990 electric mortice lock (12-pin)	FEL990M	790.00

Note:

This lock is multi-functional with field changeable:

- Functions (vestibule or combination)
- Safety (fail safe or fail secure)
- Key override
- Handing (left hand or right hand)

Locks will be supplied in fail safe mode and in a left handed configuration.


- Includes cable, fixings and spindles.

Description	Code	Price
Power transfer device 300mm Lead cover 520mm Lead cover	IRT881SSS IRT882SSS	48.50 57.50
Legge 990 cylinder - C4 keyway	Z990300/1	52.00
3.0m 12-pin cable	Z99EC3	53.50
Door position sensor (DPS) magnet	Z99EMAG	64.50
12-pin to 9-pin adaptor for Legge 990 MFE / LW3572EL	Z99EI2E	77.00
12-pin to 9-pin adaptor for Legge 990 MFEi	Z99EI2I	77.00
Extended spindle for 51–60mm door thickness	Z990451	2.30
External plain plate with Alpha lever and LED	LA703LEDS	235.00
Internal plain plate with Alpha lever and LED	LA712LEDS	235.00

Legge Privacy Plus lock system

Features: Privacy Plus lock system is ideal for shared ensuites in healthcare, aged care facilities, laboratories, sound studios, darkrooms and other shared facilities. The locking control system ensures that occupants sharing an ensuite/room have access to privacy by the push of a button. Occupants push a button to obtain privacy and when leaving simply operate the door handle to reset the system to the normal state. This will ensure that others sharing the ensuite/room have access.

	Warranties
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



Controller features included as standard

When room vacant, locks are unlocked and all furniture LEDs are green. When occupied, all external handles are locked and all furniture LEDs are red.

When room vacant, locks are locked and all furniture LEDs are red. This eliminates inter room travel through the room, such as a shared ensuite and only allows occupant to exit via the door entered.

When room vacant, locks are unlocked. Upon operation of an outside lever handle the second door instantly locks so that it cannot be opened simultaneously.

Man trap

When room vacant, locks are locked and all furniture LEDs are red. To enter the room, push an 'Unlock' switch to unlock the first door. While this door is open, the second door will remain locked and is prevented from opening simultaneously. When the first door closes, the LEDs will change to red and the system will relock until such time as an 'Unlock' switch is activated.


Privacy Plus packs

Description	Code	Price
Standard pack - includes locks, controller, switches and cables	LPPSTD-B	3,450.00
Secure pack – includes locks, controller, switches and cables	LPPSECP	4,070.00
Air lock pack – includes locks, controller, switches and cables	LPPALP	3,450.00
Man trap pack - includes locks, controller, switches and cables	LPPMTP	3,450.00
Note: All packs exclude door furniture. Recommended furniture:		
External plain plate with Alpha lever and LED	LA703LEDS	235.00
Internal plain plate with Alpha lever and LED	LA712LEDS	235.00

Briton 9365 Series - narrow mortice lock

Features: Battery operated narrow stile electronic keypad combined with a Legge 995 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection. **Door thickness:** 35mm to 50mm standard, 51mm to 65mm optional.

Mechanical		10 years
	Finish	allegion.co.nz/finisheswarranty
	Electronic	2 years



Backset: 30mm standard, 38mm optional.

	Finish	
Description	SCP	Price
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock and 5306 internal furniture with Alpha lever	BNT-9365-SCP	1,080.00
Briton 9365 narrow stile electronic keypad with Legge 995 mortice lock (no internal furniture)	BNT-9365X-SCP	985.00

Briton 9365-990 Series - mortice lock


Features: Battery operated electronic keypad combined with a Legge 991 mortice lock. Up to 80 PIN codes can be stored including 10 one-time codes. Also includes remote release capability via wired connection.

Door thickness: 35 to 50mm standard, 51 to 65mm optional.

Backset: 60mm standard.

Fire rated: 60 minutes - refer fire door manufacturer for approval.

	Warranties
Mechanical	10 years
Finish	allegion.co.nz/finisheswarranty
Electronic	2 years



	Finish	
Description	SCP	Price
Briton 9365 narrow stile electronic keypad with Legge 991 mortice lock (60mm backset) and 5306 internal furniture with Alpha lever	BNT-9365-990-SCP	965.00

Schlage Omnia Fire Rated Smart Lock


- Supplied with 3 key tags
- Access via key tags, keypad, fingerprint, BLE app or key override
- Best suited to multi-residential/apartment markets where fire rating is required
- Internal use only

Door preparation: Refer to mortice lock instructions.

Door thickness: 35mm to 60mm.

Fire rated: Refer fire door manufacturer for approval.

Warranties
2 years
allegion.co.nz/finisheswarranty
2 years



Finishes		shes		
Description	МВ	SNP	Price	
Schlage Omnia Smart Lock, no mortice lock with clutching key override	SCEOMMB	SCEOMSNP	810.00	
Schlage Omnia Smart Lock with Legge 991 mortice lock with clutching key override	SCEOM99MB	SCEOM99SNP	870.00	

Accessories



Description	Code	Price
Schlage Omnia keypad controller	SCEOMKPC	342.00
Schlage Wi-Fi Bridge BZ100 (Compatible with Schlage Breeze/Breeze Hotel)	SCEBRZGW	236.00

E05

Schlage CO 100 Series

Features: Battery operated manually programmable lock, standard Schlage 6-pin keyway PD cylinder, 500 PIN codes, keypad only, offline lock. **Door thickness:** 41mm-51mm standard. Refer to accessories for shims to be used on doors between 35mm-41mm thick.

Fire rated: Refer to fire door manufacturer for approval.

Warranties		
Mechanical	10 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



	Finish	
Description	SCP	Price
Keypad classroom lock with 70mm tubular latch	LOK50267	1,210.00
Keypad classroom lock complete with Legge 990 mortice lock – 60mm backset – 70mm backset	LOK50302-60 LOK50302-70	1,590.00 1,590.00

Schlage CO 200 Series

Features: Battery operated computer programmable lock, standard Schlage 6-pin keyway PD cylinder, 2,000 users and audit trail events, keypad, proximity, offline lock with Sparta lever design.

Door thickness: 41mm-51mm standard. Refer to accessories for shims to be used on doors between 35mm-41mm thick.

Fire rated: Refer fire door manufacturer for approval.

Warranties		
Mechanical	10 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	

Einich



	FIIIISII	
Description	SCP	Price
Keypad and proximity reader classroom lock with 70mm tubular latch	LOK50287	1,570.00
Keypad and proximity reader classroom lock complete with Legge 990 mortice lock		
– 60mm backset – 70mm backset	LOK50304-60 LOK50304-70	1,910.00 1,910.00

Accessories



Description	Code	Price
HHD Kit – contains handheld device with SUS, USB cable and includes Schlage SMS software required to retrieve audit trail	LOK50290	POA
Schlage CO 100/200 exterior shim plate – 1.5mm thick	LOK50289	39.00
Schlage CO 100/200 interior shim plate – 4.5mm thick	LOK50301	150.00

Note: Schlage Utility Software (SUS) on the handheld device (HHD) manages access rights and audit trails via USB connection. Cards/tags can be programmed without HHD

Credentials

Description	Code	Price
Cards		
Schlage ISO proximity card (HID compatible)	IRG-SXF7510	11.00
Fobs		
Schlage proximity key fob (HID compatible)	IRG-SXF7610	13.50

ECO Schulte ETS Series

Features: Up to 250kg/1,600mm door leaf size, meets ADA disability standard, auto-open up to 105°, easy to program via built-in LCD display or external programmer. 230V 50/60Hz AC power source required. **Fire rated:** Refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	2 years	

		Finish	
	Description	SSS	Price
2000	ECO Schulte ETS 73	ECO-ETS73-BODY	6,140.00
	Regular arm – PUSH function	ECO-ETS-ARM2	520.00
<u> </u>	Track with slide arm – PULL or PUSH function	ECO-ETS-SLIDERAIL2	520.00
	ETS mounting plate recommended for ease of installation and may be required for fire door applications – refer to fire door manufacturer	ECO-ETS-MP	338.00

Note: Select either regular arm or track with slide arm, depending on opening function. It is recommended or required (fire doors) for the ETS mounting plate to be used to increase strength of mounting.







Description	Code	Price
ECO Schulte open stop – for applications where a traditional door stop cannot be used	ECO-ETS-STOP	423.00
LCN activation sensor	LCP30197	565.00
Blank push plate actuator	LCP25136	197.00
Wheelchair logo push plate actuator	LCE24150	197.00

FSH VE1260 Series

Features: High torque motor driven drop bolt with up to 35kg pre-load/side-load tolerance with up to 1,000kg holding force.

Optional: Strike plates are available to allow for door misalignment of up to +12mm.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked or unlocked. 1A power supply required for full pre-load capability.

	Warranties
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



	Finish	
Description	SSS	Price
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	VE1260R	1,510.00
Eco pre-load drop bolt, 30mm faceplate including 27mm strike plate (± 4mm) with square edge (Trimec ES8000 retrofit)	VE1260S	1,510.00

Accessories


Description	Code	Price
Surface mount box – for VE1260R lock with round edge	VE1260GL-FR	193.00
Surface mount box – includes strike for ±12mm door misalignment	VE1260GL-DO12	173.00

FSH HL1260 Series

Features: High torque motor driven hook lock with up to 680kg holding force for sliding door applications.

Power consumption: Consumes an in rush current of 290mA @ 12V DC only during locking and unlocking action and 15mA @ 12V DC while locked.

	Warranties
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



	1 1111511	
Description	SSS	Price
Eco pre-load drop bolt, 25mm faceplate including 27mm strike plate (± 4mm) with round edge	HL1260	1,600.00

Description	Code	Price
Surface mount box – for HL1260 or HL1260 strike plate	HL1260-SMK	259.00

FSH FES90M-P Series Ecoline


Features: Motorised high security electric EcoStrike with up to 35kg pre-load capability and 1,370kg holding force, 10V to 30V DC, 300ma @ 12V DC at full 35kg pre-load only during locking and unlocking action, less than 15ma @ 12V DC when in the locked or unlocked state, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Optional: Extension lips available, refer to FES20 Series.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	

Finish




Description	SSS	Price
High security electric EcoStrike with pre-load capability, Australian footprint, monitored, 10mm lip	FES90M-P	1,050.00

FSH FES20 Series

Features: Manufactured from stainless steel, 12V to 36V DC, fail safe/fail secure, holding force up to 1,490kg, anti-tamper, SCEC approved for secure areas, 10mm lip standard to reduce the chance of injury or damage.

Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



	Finish	
Description	SSS	Price
High security electric strike, Australian footprint, non-monitored, 10mm lip	FES20	435.00
High security electric strike, Australian footprint, monitored, 10mm lip	FES20M	500.00
Electric strike replacement for Harcor strike	FHC20M	500.00


Description	Code	Price
FES20 or FES90M-P extension lip 5mm	FES20-EL05	23.00
FES20 or FES90M–P extension lip 15mm	FES20-EL15	33.00
FES20 or FES90M–P extension lip 25mm	FES20-EL25	33.00
FES20 or FES90M–P extension lip 50mm	FES20-EL50	33.00
FES20 or FES90M–P extension lip 75mm	FES20-EL75	33.00
Rebate kit for FES20 or FES90M-P Series (stainless steel)	FES20-Rebate	66.50

FSH FES10 Series

Features: ANSI footprint designed for light commercial and residential applications, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,300kg, IP56 rated (non-monitored).

Fire rated: 2 hours - refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



Finish	
SSS	Price
FES10	201.00
FES10M	234.00
	SSS FES10

Accessories

Description	Code	Price
FES10 Extension lip 15mm	FES10-EL15	33.00
FES10 Extension lip 25mm	FES10-EL25	33.00
FES10 Extension lip 50mm	FES10-EL50	33.00
FES10 Extension lip 75mm	FES10-EL75	33.00

FSH FES15 Series

Features: Designed for pedestrian gate or any other light commercial and residential application where a rim mounted strike is required, 12V or 24V DC, fail safe/fail secure (via easy to use Barbell mechanism), holding force up to 1,250kg, IP56 rated (non-monitored). **Fire rated:** 2 hours – refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	




	Finish	
Description	SSS	Price
Electric strike, rim mounted, non-monitored, weather resistant IP56	FES15	201.00
Electric strike, rim mounted, monitored	FES15M	POA

Von Duprin 5100 Electric strike

Features: VD5100 has options of 12V or 24V DC and fail safe/fail secure. **Fire rated:** Refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	

Cinich




	FINISH	
Description	ALUM	Price
VD5100 Wood/metal frame, fail secure/fail safe	VDE10068	POA

Von Duprin 6200 Series Electric strikes

Features: VD6200 Series has options of 12V or 24V DC and fail safe/fail secure. **Fire rated:** Refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



	Finish	1
Description	SSS	Price
VD6211 Wood frame, fail secure, dual switch, 12V DC	VDE11848	POA
VD6211 Wood frame, fail safe, dual switch, 24V DC	VDE11849	POA
VD6211 Wood frame, fail secure, dual switch, 24V DC	VDE11850	POA
VD6211 Metal frame, fail secure, dual switch, 12V DC	VDE11852	POA
VD6211 Metal frame, fail safe, dual switch, 24V DC	VDE11853	1,200.00
VD6211 Metal frame, fail secure, dual switch, 24V DC	VDE11854	POA

Von Duprin Electrical accessories

Fire rated: Refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	




Description	Code	Price
VD EPT10 Power transfer hinge SP28/ALUM	VDE11855	POA
VD PS914 12V/24V DC 4A Universal supply – includes battery backup	VDE11940	880.00

FSH Custodial electric strikes

Features: Maximum security deadlock electric strikes, 12V or 24V DC, 500kg and 1,000kg holding force available, with monitoring for lock bolt status.

Warranties	
Mechanical	5 years
Finish	allegion.co.nz/finisheswarranty
Electronic	1 year



	Finish	
Description	SSS	Price
High security deadbolt strike FES112 Series	FES112-200	8,120.00

Spare Parts


Code	Price
FES112-P	POA

FSH R40 Electromagnetic door holders

Features: 12V or 24V DC, up to 25kg holding force.

Fire rated: 4 hours - refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



LCN Electromagnetic door holders

Features: Heavy duty door holder with 16kg holding force, 12V/24V DC and 24V AC field selectable voltage.

Fire rated: Refer fire door manufacturer for approval.

Warranties		
Mechanical	10 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	2 years	



	Finish	<u> </u>
Description	ALUM	Price
LCN SEM7830 Electromagnetic door holder 12V/24V – wall mounted	LCE11704	324.00
LCN SEM7820 Electromagnetic door holder 12V/24V – floor mounted	LCE11705	384.00

FSH MEM2400 Series

Features: Innovative slimline design surface mount lock, low power consumption, up to 1,000kg holding force, 12V/24V DC field selectable, full monitoring lock status sensor, door status sensor and early warning alarm, light panel.

Power consumption: 120mA @ 24V DC / 240mA @ 12V DC. Fire rated: 4 hours – refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	




	Finish	
Description	ALUM	Price
MEM slimline mechanical electro magnetic lock with light panel (for outward opening doors)	MEM2400LP	410.00
MEM slimline mechanical electro magnetic lock LED (for inward opening doors) – includes L bracket and Z bracket	MEM2400LED-LZ	443.00

FSH FEM5700 Series

Features: Surface mounted 580kg holding force, 12V/24V DC field selectable, surge protection, CE/C–Tick and SCEC approved for secure areas, light panel, lock status sensor, door status sensor and anti–tamper plate with monitored models. **Fire rated:** 4 hours – refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	




	Finish	
Description	ALUM	
Standard single non-monitored magnetic lock	FEM5700	308.00
Standard double non-monitored magnetic lock	FEM5700D	POA
Standard single monitored mag lock includes anti-tamper plate	FEM5700M	410.00
Standard double monitored mag lock includes anti-tamper plate	FEM5700DM	730.00

Description	Code	Price
L bracket and Z bracket for double FEM5700DM monitored lock	AMZB1D-LPDSS	324.00
L bracket and Z bracket for single FEM5700M monitored lock	AMZB1-LPDSS	163.00

FSH FEM3500 Series

Features: Surface mounted 280kg holding force, 12V/24V DC field selectable, built-in varistor (MOV) surge protection, CE/C-Tick, no residual magnetism. **Fire rated:** 4 hours – refer fire door manufacturer for approval.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



	Finish	
Description	ALUM	Price
Slimline standard single monitored magnetic lock including anti-tamper plate	FEM3500M	306.00
Slimline standard monitored double magnetic lock including anti-tamper plate	FEM3500DM	615.00
Slimline standard single magnetic lock, flush mount	FEM3500FM	257.00

Accessories

Description	Code	Price
L bracket and Z bracket for double FEM3500D and FEM3500DM universal	AMZB4D-LP	261.00
L bracket and Z bracket for single FEM4700FS, FEM3500 and FEM3500M universal	AMZB4-LP	131.00
FEM3500 Bolt kit for 50mm thick doors	FEM3500M-MK2	POA

FSH Electromagnetic cabinet locks

Features: Compact surface mount locks for cabinet locking.

Warranties		
Mechanical	5 years	
Finish	allegion.co.nz/finisheswarranty	
Electronic	1 year	



	Finish	
Description	ALUM	Price
Surface mount cabinet/locker electric lock, fail secure	FCL0001	132.00
Surface mount cabinet/locker electric lock, monitored, fail secure	FCL0002	218.00

FSH Electromagnetic gate locks

Features: Designed as gate locks for exterior use, IP67 rating, 12V/24V DC field selectable, holding forces from 200kg to 630kg Lock status sensor options available.

Warranties			
Mechanical	5 years		
Finish	allegion.co.nz/finisheswarranty		
Electronic	1 year		



	Finish	
Description	ALUM	Price
Weather resistant mini single magnetic lock with stainless steel body housing, lock status sensor includes anti-tamper plate	FEM4500FS-RSW	228.00
Weather resistant slimline single magnetic gate lock with stainless steel body, lock status sensor includes anti-tamper plate	FEM4700FS-LSS	392.00
Weather resistant single magnetic gate lock with stainless steel body, lock status sensor includes anti-tamper plate	FEM5000G	590.00

Schlage Credentials

Features: Options available for most access control systems.

125kHz

Description	Code	Price
Schlage ISO proximity card (HID compatible)	IRG-SXF7510	11.00
Schlage proximity key tag (HID compatible)	IRG-SXF7610	13.50

13.56MHz

Description	Code	Price
Schlage ISO card Mifare classic	SCEEG002	2.30
Schlage key tag blue	SCEEG003	3.20